

Classic II™ 18"

 **KAMADOJOE®**
Ceramic Grills



Features & Components



Kontrol Tower Top Vent



Air Lift Hinge



Latch



Wheels



Tools



Handle



Slide-Out Ash Drawer



Thermometer

INTERNAL COMPONENTS

Divide & Conquer®
Flexible Cooking System



AMP FireBox



Gasket

Specifications

Dimensions	Cooking Surface	Weight	Heat Range
24.5 in W x 48 in H x 30.1 in D	256 sq in (407 sq in with rack extension)	208 lbs	225°F–750°F+
62.23 cm W x 121.9 cm H x 76.5 cm D	1,646 sq cm (2,619 sq cm with rack extension)	94.3 kg	82°C–399°C

Materials


Base/Dome	High Fire Heat-Resistant Ceramics	Latch	Aluminum
Glaze	Heat-Resistant Ceramic Coating	Handles	HDPE (High-Density Polyethylene)
Top Vent	Cast Aluminum	Hinge	Full Counter Balanced Steel
Grill Grates	304 Stainless Steel	Bottom Vent	304 Stainless Steel
FireBox	High-Fire Heat-Resistant Ceramics	Cart	Powder-Coated Cast Iron
Gasket	Wire Mesh Fiberglass	FireBox Ring	304 Stainless Steel

Classic II Dimensions & Installation Guide


IMPORTANT DIMENSION NOTES

Please use this as a general guide for installing a Classic II ceramic grill in a built-in outdoor kitchen or grill table. We highly recommend that the actual grill being installed be measured. Drawing is not to scale.

SIDE VIEW



OPEN CLEARANCE



TOP VIEW

