

Lumiere' 1 and 2 Light Outdoor Wall Lantern

OL18000, OL18011_ 1.0

FEISS®

EST. 1955

Outdoor

GENERAL PRODUCT INFORMATION:

This product is listed by one of the following
 “Nationally Recognized Testing Laboratory”




This product is suitable for wet locations.

This product may be dimmed with a standard incandescent dimmer.


This instruction shows a typical installation.

CAUTION - RISK OF FIRE
 This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
 Use minimum 90°C supply conductors.



- 1** Temporarily remove the decorative cap, nut, and cover from the threaded pipe.
- 2** Follow enclosed supplement installation instructions for electrical and fixture installation onto house outlet box.
- 3** Screw the lamp(s) into the socket(s). Refer to the label on the lamp socket for Max Wattage information.
- 4** Install the glass panels by carefully sliding them into the fixture.
- 5** Reinstall the cover, nut, and decorative cap onto the threaded pipe.

ATTENTION : RISQUE D'INCENDIE
 Ce produit doit être installé conformément au code d'installation en vigueur par une personne familière avec la construction et l'exploitation du produit et les risques qu'il entraîne.
Utiliser les conducteurs d'alimentation supérieure à 90° c.




- 1** Supprimer temporairement le casquette décoratif, écrou et couvercle de la tige filetée.
- 2** Reportez-vous aux instructions pour supplément clos électrique et installation de luminaire sur boîte de sortie de maison.
- 3** Vissez l'ampoule(s) dans la/les douille(s). Lire l'étiquette sur la douille de lampe pour informations Max Wattage.
- 4** Installer les panneaux de verre en les faisant glisser délicatement dans le luminaire.
- 5** Réinstallez le couvercle, écrou et casquette décoratif sur la tuyau fileté.

PRECAUCIÓN: RIESGO DE INCENDIO

Este producto debe instalarse de acuerdo con el código de instalación aplicable por una persona familiarizada con la construcción y operación del producto y los riesgos que conllevan.

Utilizar conductores de suministro mínimo 90° c.



- 1** Eliminar temporalmente la tapa decorativa, tuerca y cubierta del tubo roscado.
- 2** Siga las instrucciones de Instalación incluido suplemento para eléctricos e instalación de la lámpara en la caja de enchufe de casa.
- 3** Enrosque la(s) bombilla(s) en el/los enchufe(s). Consulte la etiqueta en el enchufe de la lámpara para obtener información de Max Wattage.
- 4** Instale los paneles de vidrio deslizándolas cuidadosamente en la lámpara.
- 5** Vuelva a instalar la cubierta, la tuerca y la tapa decorativa en el tubo roscado.

SAVE THESE INSTRUCTIONS!

FEISS[®]

EST. 1955

555 Theodore Fremd Ave Suite B101 Rye, NY 10580

800.969.3347

www.Feiss.com

© 2014 Feiss. All rights reserved. The "Feiss" graphic is a registered trademark of Feiss. Feiss reserves the right to change specifications for product improvements without notification.

A Generation Brands Company